INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. IV, 637–639 (1970)

Author Index, Volume IV

Ahlrichs, R.: Die Konuergenz der Brillouin–Wigner–Störungsrechnung, 149
Amos, A. T.: see Laughlin, C., 613

Baker, C. C.: see Banyard, K. E., 431
Banyard, K. E., and Baker, C. C.: Molecular formation and electron correlation in HeH^+, 431
Bhattacharyya, S.: see Ghosh, K., 347
Boring, A. M.: Self-consistent spin-polarized energy bands of sodium, 315
Boyle, L. L.: Determination of the non-zero components of property tensors in environments of low symmetry, 389
——: Fifth-rank molecular polarization tensors, 413
Brändas, E., and Goscinski, O.: Critical point, singularities and extrapolations in the helium *iso*-electronic sequence, 571

Cherepanov, V. I.: see Men, A. N., 109
Chufarov, Gr. I.: see Men, A. N., 109
Claxton, T. A.: *Ab initio* UHF calculations on the vinyl radical, 337
Csizmadia, I. G.: see Robb, M. A., 365

Davidson, E. R.: see Siu, A. K. Q., 223

Ehrenson, S.: see Massa, L. T., 625
Epstein, S. T.: see Robinson, P. D., 453

Farberov, D. S.: see Men, A. N., 109
Ford, B., Hall, G. G., and Packer, J. C.: Molecular modelling with spherical gaussians, 533
Franchini, P. F., Moccia, R., and Zandomenghi, M.: Extended group function calculations for H_2O, NH_3 and CH_4, 487
Fratev, F., Janoschek, R., und Preuss, H.: Wellenmechanische behandlung der protonisierung von F- und CH_3-monosubstituierten athylenen, 529

Garcia-Sucre, M.: see Tallet, A., 397
Ghosh, K., Bhattacharyya, S., and Sen, P.: Theoretical calculations on σ-systems, Part 1: Ethers and chloro-substituted ethers, 347
Gombas, P., and Szondy, T.: The theoretical treatment of the Li_2-molecule, 603
Goscinski, O., and Stepanov, N.: Successive partitioning technique and Feenberg perturbation theory, 545
——: see Brändas, E., 571

Hall, G. G., Hyslop, J., and Rees, D.: A minimum principle for molecular systems allowing the use of discontinuous wave functions, 5
——: see Ford, B., 533
Handy, N. C.: see Marron, M. T., 245
Harcourt, R. D.: Valence structures for N_2O_4, III, 173
Hillier, I. H., and Saunders, V. R.: *Ab initio* calculations, using a small Gaussian basis set, of the electronic structure of the sulphate ion, 203
——, and ——: A new SCF procedure and its applications to *ab initio* calculations of the states of the fluorasulphate radical, 503
Hyslop, J.: see Hall, G. G., 5

I'Haya, Y. J.: see Nakayama, M., 21
——: see Nakayama, M., 43

Jain, D. C.: A study of some potential energy functions for diatomic molecules, 579
Janoschek, R.: see Fratev, F., 529
Jørgensen, P., and Linderberg, J.: Time-dependent Hartree–Fock calculations in the Pariser–Parr–Pople method. Applications to aniline, azulene and pyridine, 587
Jucys, A. P., and Stasiukaitis, V. J.: Inter-level differences in iron group atomic systems in the extended method of calculation, 333

Karlsson, G.: Self-consistent pseudo-eigenvalue equations in parametric charge-dependent MO methods, 127
——: Hartree–Fock MO–LCAO equations with charge-dependent atomic integrals, 289

Klessinger, M.: Self-consistent group calculations on polyatomic molecules. V. Molecules with a double or triple bond, 191
Kruglyak, Y. A.: see Kuprievich, V. A., 73
——, and Ukrainsky, I. I.: Study of the electronic structure of alternant radicals by the DODS method, 57
Kuprievich, V. A., Kruglyak, Y. A., and Mozdor, E. V.: Full configuration interaction for the benzyl radical, 73

Laughlin, C., and Amos, A. T.: A perturbed generalized eigenvalve equation for the helium atom, 613
Lefebvre, R.: see Tallet, A., 397
Leuven, P.: see Van Leuven, P., 355
Levy, B.: Molecular MC–SCF calculations, 297
Linderberg, J.: see Jørgensen, P., 587
Lindner, P.: Lower bounds for ϵ_2 in the $1/z$-expansion for helium like ions, 217

Marron, M. T., Handy, N. C., Parr, R. G., and Silverstone, H. J.: Solution of the Hartree–Fock problem by expansion onto nested bases, 245
Massa, L. J., Ehrenson, S., and Wolfsberg, M.: Gaussian molecular orbital calculations of the barrier to international rotation in the ethyl cation, 625
McWeeny, R.: see Mukherjee, N. G., 97
Men, A. N., Cherepanov, V. I., Farberov, D. S., Mitrofanov, V. Ja., and Chufarov, Gr. I.: Group-theoretical method for determining permitted terms of the electronic states of polyatomic molecules taking account of spin-orbit interaction, 109
Mitrofanov, V. Ja.: see Men, A. N., 109
Moccia, R.: see Franchini, P. F., 487
Moitra, R. K., Mukherjee, P. K., and Sengupta, S.: A study of dynamic quadrupolar and octupolar excitations and calculations on excited d and f states of atoms and ions: He-sequence, 465
Mozdor, E. V.: see Kuprievich, V. A., 73
Mukherjee, A.: see Mukherjee, P. K., 139
Mukherjee, N. G., and McWeeny, R.: Multi-configuration SCF calculation on LiH, 97
Mukherjee, P. K., Sengupta, S., and Mukherjee, A.: Self-consistent calculation of excited ^1P state wave functions of atoms, 139
——: see Moitra, R. K., 465

Nakayama, M., and I'Haya, Y. J.: A multi-configuration LCAO–MO study for complex unsaurated molecules. I. General theory and it's application to the benzene anion, 21
——, and ——: A multi-configuration LCAO–MO study for complex unsaturated molecules. II. Application to the benzene cation, 43

Packer, J. C.: see Ford, B., 533
Parr, R. G.: see Marron, M. T., 245
Polák, R.: Optimum hybrid orbitals in localized orbitals, 271
Preuss, H.: see Fratev, F., 529

Ramaker, D. E.: see White, R. J., 1
Rees, D.: see Hall, G. G., 5
Robb, M. A., and Csizmadia, I. G.: The generalized separated electron pair Model 1. An application to NH_3, 365
Robinson, P. D., and Epstein, S. T.: On energy bounds from the conjugate eigenvalve problem, 453

Saunders, V. R.: see Hillier, I. H., 203
——: see Hillier, I. H., 503
Schrader, D. M.: see White, R. J., 1
Sen, P.: see Ghosh, K., 347
Sengupta, S.: see Mukherjee, P. K., 139
——: see Moitra, R. K., 465
Silverstone, H. J.: see Marron, M. T., 245
Singh, S. R., and Smith, V. H. Jr.: Comparison of two perturbation methods, 519
Siu, A. K. Q., and Davidson, E. R.: A study of the ground state wave function of carbon monoxide, 223
Slater, J. C.: Note on the space part of anti-symmetric wave functions in the many electron problem, 561
Smith, V. H. Jr.: see Singh, S. R., 519
Stasiukaitis, V. J.: see Jucys, A. P., 333
Stepanov, N.: see Goscinski, O., 545
Szondy, T.: see Gombas, P., 603

Tallet, A., Garcia-Sucre, M., and Lefebvre, R.: Le couplage vibronique dans une chaine lineaire de molecules etudie par une methode auto-coherente, 397

Ukrainsky, I. I.: see Kruglyak, Y. A., 57

Van Leuven, P.: Gaussian overlap approximation in the projected Hartree–Fock method, 355

Vladimiroff, T.: Small, simultaneous adjustments of orbital exponents in LCAO–MO–SCF calculations using self-consistent perturbation theory, 89

Weltin, E.: Brackets to the eigenvalves of the Schrödinger equation, Part 1. Tridiagonal matrices, 257

White, R. J., Ramaker, D. E., and Schrader, D. M.: Comment on a perturbation treatment of the ground state of two-electron atoms using the coordinates, 1

Witkowski, A., and Zgierski, M.: Decoupling conditions for the vibronic equation in dimers, 427

Wolfsberg M.: see Massa L. T., 625

Zandomenghi, M.: see Franchini, P. F., 487

Zgierski, M.: see Witkowski, A., 427

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. IV, 641–643 (1970)

Subject Index

Ab initio calculations, 503
molecular orbital calculations, 203
UHF calculations, 337
Acetylene CH=CH, 192
Aniline, 587
Antiferromagnetism, in long polyene radicals, 71
Asymptotic behaviour of AO's, 254
Azulene, 587

Bands, distance between, 65
Benzene anion, 21
cation, 43
Benzyl radical, 73
Beryllium, 245
Bindungen, σ-, 530
Bond length relation, 27
order, II-, 27
Bonds, σ- and π-, 191
chemical, 533
Bounding sequences, 453
Bounds, lower, to eigenvalues, 257
upper and lower, 217

Canonical transformation, 59
Carbon monoxide, 223
$C_2H_5^+$, 625
Charge-density wave state, 60
-dependence, 127
-dependent atomic integrals, 289
Chemical interpretation, 533
CNDO calculations, 503
Comparison matrix, 257
Compensation principle, 57
Configuration interaction, 365
Conjugate eigenvalue equation, 5
problem, 453
Correlation energy, 73, 365
between electrons, 57
Critical point, 571
Cusps, atomic, 533
"Cut-off" distance, 5
wave functions, 5
Cyclo-propane, CH_4, C_2H_6, 533

"Dangerous" diagrams, equation, for the compensation of, 62
method, 62
Decoupling conditions for the vibronic equations, 427
Delta-function potentials, 453
Density matrix, 625
Diatomic molecules, 579
Different orbitals for different spins (DODS), 57
Dipole moment, 347
Direct search technique of Rosenbrock [4], 12
Duotridecapole moment, 413

Eigenvalues, 127
Electron correlation in HeH^+, 431
kinetic energy, uncertainty of the, 13
densities, 431
Electronic states, permitted terms of the, 109
structure, 203, 533
Elektronen, σ-, 531
Elektronenakzeptor, 531
Elektronendichte, 529
Elektronen-system, π-, 531
Elliptical co-ordinates, 10
Energy bands, 315
bounds, 453
spectrum, splitting of the, into two bands, 64
Equivalent bent bands, 200
E.S.R. spectrum of benzyl, 74
Ethers, chloro-substituted, 347
Ethyl cation, 625
Ethylene CH_2=CH_2, ground state of, 192
Excited d and f states, 465
^1P states of atoms, 139
Expansion, 245
Exponents, optimum, orbital, 89

Feenberg perturbation theory, 545
Fifth-rank tensors, 413
Flourosulphate radical, 503
Forbidden zone, 64

Formaldehyde $CH_2{=}O$, 192
Four-dimensional space, 414
Fourier transform of the Green's function, 6
Full configuration interaction, 73

Gaussfunktionen, 530
Gauss–Legendre formula, 17
Gaussian approximation, 355
  basis, 503
  functions, 338
  molecular orbital, 625
  orbital basis set calculations, 625
  overlap approximation, 355
Gaussians, 533
  contracted, 191
  spherical, 533
Geminals, 365
Generalized eigenvalue equation, 613
Gesamtenergie von $C_2H_4F^+$, 530
Green's function, 6
Group function, 487

Hartree–Fock, 245
  approximation, 61
  calculations, 587
  method, 603
  projected, 355
  –Slater, 245
Helium, 571
  atom, 613
Hermann–German theorem, 423
He-sequence, 465
Hilbert–Schmidt integral operator, 455
H_2^+ ion, 5
H_2^+ nuclear potential energies, 5
H_2O, CH_2 and C_2H_4, 533
H_2S, 203
Hybrid orbitals, method for constructing, 271
Hybridization, optimal, 191
Hydrocarbons, alternant, 271
Hydrogen cyanide $HC{\equiv}N$, 192
Hyperconjugation, 625
Hyperfine coupling constant, 337
Hyperkonjugation, 531

Infinite tridiagonal Hamiltonian matrix, 258
Inter-level difference, 333
Internal rotation, barrier to, 625
Ions with nuclear charge, 139
Iterative extended Hückel, 127

Komplex, π-, 530
Koopman's theorem, 70

Ladungsverschiebung, 531
Ladungsverteilung, 531
LCAO–MO–SCF calculations, 89
LCGO–Ansatz, 531
Li_2-molecule, 603
Lithium atom, 561
Localization of the electron, 12
Localized orbitals, 366
Lone pairs, 533
Long range behaviour, 245

Mathematical model, 533
MC–SCF, 297
Minimal basis SCGF calculations, 191
Minimum energy principle, 5
Model, 365
Molecular formation, 431
  modelling, 533
  orbital wave function, 533
  polarization tensors, 413
Molecule, 533
Multi-configuration LCAO–MO method, 21, 43
  SCF LIH, 97

Natural expansions, 431
  spin-orbitals, 83
Nested bases, 245
NH_3, 365
Node, 245
Non-bonding orbital, 60
H_2O, NH_3 and CH_4, 487
Non-zero components, 389
Numerical stability, objectivity and transferability, 533

Occupation numbers for different spins, 86
  representation of, 86

Parameters, optimized, 533
Pariser–Parr–Pople model, 587
Permitted loads, method for determining, 109
Permutation symmetry, 413
Perturbation methods, 519
  series, convergence of, 62
  theory, 59, 89, 149, 613
  variational techniques, 1
Perturbed harmonic oscillator, 257

Phase states in systems like large alternant hydrocarbons, 71
Polarization of closed shells, 57
Polyatomic molecules, 109
Polyenes with even number of atoms, 64
  first electronic transition in the absorbtion spectra of, 71
Polynomial, characteristic, 258
Potential energy functions, 579
Property tensors, 389
Projection operators, 561
Propylen, 530
Protonabstand, 530
Protonenaffinitäten, 530
Protonenanlagerung, 532
Protonisierung, 529
Pseudo-eigenvalue equations, 127, 248
  -potentials, 603
Pyridine, 587

Quadrature routine, 17
Quadrupolar and octupolar excitations, 465
Quadrupole coupling constants, 347

Radicals, alternant, 57
Rayleigh–Ritz method, 5
Regel von Markownikoff, 529

Scaling, 8
SCF open-shell orbitals, 73
  procedure, 503
Second-order density matrix, 223
  perturbation theory, 217
Self-consistency procedure, iterations of the, 62
Semi-empirical, 203
  MC–LCAO–MO method, 21
Separated electron pair, 365
Singularities, 571
SO_3F^+ and SO_3F^- ions, 503
Spin density, 57, 337
  matrix, McLachlan expression for the elements of the, 59
  method for the calculation of the, 57
Spin-orbit interaction, 109
  -product functions, 561
Substitution, 531
Successive partitioning, 545
Sulphate ion, 203
Sulphur 3*d* orbitals, 203

Tensor ellipsoid, 395
  group, 413
Theoretical calculations on σ-systems, 347
Tisza symbols, 416
Transferability of β values, 191
Triple numerical integration technique, 17
Two-electron atoms, 1, 142

Valence structures, N_2O_4, 173
Variation-iteration techniques, 461
  -perturbation method, 465
VESCF method, 127
Vibronic coupling, 397
Vinylfluoride, 530
Vinyl radical, 337

Wave functions, 223, 431
  anti-symmetric, 561
Wellenfunktion, 529
ω-technique, 128